

The Linden Roselle Sewerage Authority
P.O. Box 4118
Linden, NJ 07036-8118
APPLICATION FOR 2018 SEWER BILL ADJUSTMENT

Sewer bill is based on 2017 meter readings from the NJ American Water Company.

Application for Adjustment must be made within 120 days of sewer use bill date. Adjustment Applications WILL NOT be accepted prior to payment of sewer bill or after the final due date 10-15-18.

Applicant should complete lines 1 through 14. Be sure to sign and date the application on line 14.

- 1). NAME OF PROPERTY OWNER _____
- 2). ADDRESS OF PROPERTY _____
- 3). MAILING ADDRESS OF OWNER _____
- 4). PHONE NUMBER OF OWNER _____
- 5). HOW IS PROPERTY USED (1 Family Home, Motel, Etc..) _____
- 6). NUMBER OF PEOPLE OCCUPYING PREMISES _____
- 7). IF COMMERCIAL PROPERTY, HOW IS WATER USED? _____

PLEASE COPY THE FOLLOWING INFORMATION FROM YOUR SEWER BILL

- 8). WATER USAGE AMOUNT _____ 9). AMOUNT OF SEWER BILL \$ _____
(Appears At Top Of Bill, left side next to Usage:) (100 Cubic Feet/1000 Gallons)

10). **BLOCK#** _____ **LOT #** _____

11). WATER COMPANY ID: *(Located top left under Usage)*

520 _____, 520 _____, 520 _____, 520 _____

12). Give Reason why owner feels 2017 Water Meter Readings do not Fairly Reflect the Amount of Wastewater Discharged into the Linden Roselle Sewerage System. **(Please use the back of the form if needed.)**

13). **If Water Bills have been Adjusted, copies of any correspondence or adjusted water bills from the water company should be included with this application.**

14). SIGNATURE OF OWNER _____ DATE _____

DO NOT FILL IN – FOR LINDEN ROSELLE SEWERAGE AUTHORITY USE ONLY

	<u>Total</u>
(a) 2015 Quarters _____	_____
(b) 2016 Quarters _____	_____
(c) 2017 Quarters _____	_____

ADJUSTMENT CALCULATIONS:

- | | |
|--|---|
| (d) Consumption used for original bill _____ | (f) Recommended adjustment _____ |
| (e) Consumption determined by LRSA _____ | (g) Dollar adjustment current rate x (f) = \$ _____ |
| (h) Remarks _____ | |

Approved By: _____

Date of Credit Issue: _____